



For People With Diabetes

Blood Sugar Diary





The Importance of Knowing Your Blood Sugar Level

Your blood sugar level (also called blood glucose level) shows how well you are controlling your diabetes. And that's important, since keeping your sugar under control will help you feel better and could help you live a healthy, long life. You can test at home—self-monitor—to learn what your blood sugar level is at any time.

Keep a Record

Each time you check your blood sugar level, make a record in this diary. Over time, you will be able to see what makes your level go up or down. Take this diary with you when you visit your health care provider and other members of your health care team. They need this information to help you take control of your diabetes and to help you make your meal, exercise, and medicine plans work for you.

Self-monitoring Goals

The American Diabetes Association suggests goals for blood sugar levels (with self-monitoring) for adults with diabetes:

Blood sugar target before meals: 70-130 mg/dL

Blood sugar target 1-2 hours after beginning of meals: <180 mg/dL






Your health care provider will do a blood test in the office that is called an A1C test. The A1C test shows your average blood sugar level over the past 2 to 3 months. Your blood sugar is under control if your A1C is less than 7%.

Each time your health care provider tests your A1C level, ask for the number and make a record of it. You will then know what your blood sugar level is over the long term.

How Average Blood Sugar Affects A1C

A fasting blood sugar test shows how you're doing during that period of the day. An A1C test shows where your blood sugar level has been over the past 2 to 3 months.



Average Blood Sugar (mg/dL)

My Blood Sugar Goals

Talk to your health care team about setting goals.

Be	fore meals, my target l	olood sugar range is mg/dl
to	mg/dL.	
Tw	o hours after starting	meals, my target blood sugar range
is _	mg/dL to	mg/dL.
l n	eed to test my blood s	ugar times a day.
0	When I wake up	O After breakfast
0	Before lunch	O After lunch
0	Before dinner	O After dinner
0	Before bed	
0	Before exercise	
0	After exercise	
0	Other	

. diabetes

Week of: My target blood sugar ranges are __2/15/12

	Medicine*	Brea Time Bef	kfast ore/After	Medicine	Lu: Time Bef	nch ore/After
Mon	1	102			125	
771011		8 _{AM}			12:30 _{PM}	
Tues		97			140	180
iues	V	7:30 _{AM}			12 _{PM}	I _{PM}
Wed		100			129	
vveu	/	7:30 _{AM}			12 _{PM}	
Thurs						
Thurs						
Fri						
_						
Sat						
Sun						

^{* &}quot;Medicine" column: Write out the medicine names and the amounts taken.

	Medicine*	Breakfast Time Before/After	Medicine	Lunch Time Before/After
Mon				
Tues				
Wed				
Thurs	_			
Fri				
Sat				
Sun				

^{* &}quot;Medicine" column: Write out the medicine names and the amounts taken.

mg/dL to	mg/dL before meals.
mg/dL to	mg/dL 2 hours after meals.

Medicine	Din Time Befo	ner ore/After	Medicine	Bedtime Time	Comments



70mg/dL to130mg/dL before meals.160mg/dL to180mg/dL 2 hours after meals.

Medicine	Din Time Bef	ner ore/After	Medicine	Bedtime Time	Comments
	135	165		140	
	SPM	7PM		10 _{PM}	
	130			175	
	5:30 _{PM}			9:30 _{PM}	
	130			128	
	SPM			10:30 _{PM}	



	Medicine*	Breakfast Time Before/A	t _{fter} Medicine	Lunch Time Before/After	,
Mon	_				
Tues	_				
Wed					
Thurs	-				
Fri					
Sat					
Sun	-				

^{* &}quot;Medicine" column: Write out the medicine names and the amounts taken.

mg/dL to	mg/dL before meals.
mg/dL to	mg/dL 2 hours after meals.

Medicine	Din Time Befo	ner ore/After	Medicine	Bedtime Time	Comments



	Medicine*	Breakfast Time Before/After	Medicine	Lunch Time Before/After
Mon				
Tues				
Wed				
Thurs				
Fri				
Sat				
Sun				

^{* &}quot;Medicine" column: Write out the medicine names and the amounts taken.

mg/dL to	mg/dL before meals.
mg/dL to	mg/dL 2 hours after meals.

Medicine	Din Time Befo	ner ore/After	Medicine	Bedtime Time	Comments



	Medicine*	Breakfast Time Before/After		Medicine	Lui Time Bef	n ch ore/After
Mon						
Tues						
Wed						
Thurs						
Fri						
Sat						
Sun						

^{* &}quot;Medicine" column: Write out the medicine names and the amounts taken.

mg/dL to	mg/dL before meals.
mg/dL to	mg/dL 2 hours after meals.

Medicine	Din Time Befo	ner ore/After	Medicine	Bedtime Time	Comments



Time period:to
This book belongs to
Name
Address
Phone
I have diabetes. In case of emergency, please notify:
Name
Address
Phone
Health Care Provider or Diabetes Educator:
Name
Phone

To Learn More About Diabetes

American Association of Clinical Endocrinologists (AACE) (904) 353-7878

www.aace.com

SCAN Health Plan is a Medicare Advantage Organization with a Medicare contract. For questions about your Diabetes or any other health concerns, please call your doctor. If you have questions about your SCAN benefits, please call Member Services at 1-800-559-3500, 7 a.m. - 8 p.m., seven days a week (TTY: 711).

G7494 12/12 Y0057_SCAN_7695_2012 IA12052012

sanofi aventis

US.NMH.11.10.007

Printed in the USA

1189-HFDB19062

SCAN Health Plan

93